



MWD's Combined Reservoir Storage as of March 1, 2011

Lake Skinner, Lake Mathews, and Diamond Valley Lake




EASTERN SIERRA CURRENT PRECIPITATION CONDITIONS As of March 1, 2011


Mammoth Pass Snowpack



Snow Pillows



Precipitation



Measurement as Inches Water Content

Precipitation totals are cumulative for water year beginning Oct 1

EASTERN SIERRA SNOW SURVEY RESULTS

March 1, 2011

MAMMOTH LAKES AREA

<u>Course</u>	<u>Water Content</u>	<u>Normal to Date</u>	<u>April 1 Normal</u>	<u>% of Normal to Date</u>	<u>% of April 1 Normal</u>
Mammoth Pass	49.1	36.6	43.5	134%	113%
Mammoth Lakes	26.0	18.7	21.1	139%	123%
Minarets 2	35.9	26.0	30.1	138%	119%
Average:	37.0	27.1	31.5	137%	117%

ROCK CREEK AREA

<u>Course</u>	<u>Water Content</u>	<u>Normal to Date</u>	<u>April 1 Normal</u>	<u>% of Normal to Date</u>	<u>% of April 1 Normal</u>
Rock Creek 1	14.1	8.4	7.4	168%	190%
Rock Creek 2	15.7	10.3	10.5	152%	150%
Rock Creek 3	18.3	13.4	14.4	137%	127%
Average:	16.0	10.7	10.8	150%	149%

COTTONWOOD AREA

<u>Course</u>	<u>Water Content</u>	<u>Normal to Date</u>	<u>April 1 Normal</u>	<u>% of Normal to Date</u>	<u>% of April 1 Normal</u>
Cottonwood Lakes 1	17.1	11.4	13.0	150%	131%
Trailhead*	18.5	11.9	13.7	155%	135%
Average:	17.8	11.6	13.3	153%	133%

EASTERN SIERRA OVERALL SNOW PACK

<u>Average of all Snow Courses</u>	<u>Water Content</u>	<u>Normal to Date</u>	<u>April 1 Normal</u>	<u>% of Normal to Date</u>	<u>% of April 1 Normal</u>
	23.6	16.5	18.6	143%	127%

Normals are based on the 1956-2005 period

* Trailhead has only been measured since 1982.